



BROCK[®]
Electronics

PRODUCT CATALOG


2023 / 2024



Brand BROCK Electronics is a high quality, rapidly growing brand, which is looking for cooperation partners! Brock provides different range of electronics and household goods, which allows to easily manage our daily chores.

Brock combines in one such values as quality, practicability and aesthetic design. We are working to expand assortment by taking into account the needs of customers and latest market trends so we can offer products where quality and price is in perfect balance.

If you want to sell our goods in your shop or company, you are welcome to write us. We will support you with your own sales manager which will individually take care of your wishes.



Blood Pressure Monitors	LS 810 - S TMB - 1873	07 07
Digital Luggage Scale	TLS 5101 WH	09
Digital Kitchen Scales	SKS 1008 SKS 1009 SKS 1011	11 11 11
Infrared Ovens	TO 3501 BKI TO 5002 BKI	13 13
Digital Oven	TO 3301 DB	14
Electric Ovens	TO 4501 B TO 4502 BK TO 3001 SS TO 3001 B TO 3001 P TO 3001 WH	15 15 16 17 17 17
Microwave Ovens with Hot plates	TO 3002 B TO 3002 P	18 18
Electric Ovens	TO 1801 B TO 2601 B TO 6001 B TO 9001 B	19 19 20 20
Microwave Ovens Digital	MWO 2311 DS MWO 2322 DS	22 22
Microwave Ovens	MWO 2001 WH MWO 2001 SS MWO 2001 BK MWO 2012 SS	23 23 24 24
Meat Grinders with Accessories	MG 1502 RD MG 1503 BK MG 1601 RD MG 1601 SS MG 1800 SS	26 26 27 27 28
Multicookers with Accessories	MC 6601 SS MC 5104 W MC 5104 B MC 1003 MC 1005	30 31 31 32 32

Multicookers Premium	MC 3601 MC 3602 RD MC 4501	33 33 34
Inner Pots for Multicookers	IP 1003 NSC IP 3601/1005 IP 5104 CC	35 35 35
Infrared Cooking Plates	HPI 1001 GY HPI 3001 BK HPI 3002 BK	37 37 37
Induction Cookers	HP 2007 HP 2009 HP 2012 HP 4013 HP 4003 GY HP 5004 GY HP 2021 GY HP 2001 GY HP 2002 GY HP 3021 SS HP 3001 SS HP 3002 SS	38 38 38 39 39 39 40 40 40 41 41 41
Electric Hotplates	EH 1500 BK EP 1500 WH EP 2000 WH EP 1500 BK EP 2000 BK EP 100 WH EP 200 WH EP 100 BK EP 200 BK	42 43 43 44 44 45 45 46 46
Gas Stoves	PSG 001 BK GS 001W GS 002W GS 003W GS 004W GS 2001 BK GS 2002 BK GS 2003 BK GS 2004 BK	48 49 49 50 50 51 51 52 52
Blenders	BL 1501 WH BL 1502 SS	54 54
Hand Mixer	HM 4002 WH HM 5003 WH HM 3001 WH	55 55 56

Hand Mixer with Bowl	HMB 3009 WH	56
Hand Blender	HB 8001 S HB 5001 WH	57 57
Hand Blender Set	HBS 9002 S HBS 6001 WH	58 58
Vertical Multi Grill Vertical Doner Kebab Multi Grill	EBG 900 EBG 1400	60 60
Toasters	BT 1006 WH BT 1007 BK BT 1008 WH BT 1009 BK BT 1002 WH BT 1005 BK BT 1002 RD BT 1003 SS	62 62 63 63 64 64 65 65
Grill	HCG 5000 SS	67
XL Sandwich Maker	SSM 4001 XL	68
Sandwich Makers	SSM 2001 SS SSM 2001 RD SSM 1001 WH	69 69 69
Steak Grill Pan	SGM 2002 RD	70
Sandwich Makers	SPM 3006 S SSM 2001 GY SSM 3001 SSM 3002 22M 3008 WH	70 70 71 71 71
3 in 1 Sandwich / Waffle Maker and Grill	SSM 2003 RD SSM 3003 SSM 2004 SS	72 72 72
4 in 1 Sandwich & Waffle Maker and Grill	SSM 6004 RD	73
Waffle Makers	WM 3002 BK WM 3001	74 74
Nutlets Mold Makers	HZ 3012 HZ 3024	75 75

Deep Fryers	DF 3001 SS	77
	DF 2501 RD	77
Air Fryer Digital Air Fryer	AFM 4203 BK	79
	AFM 3501 BK	79
	AFD 3502 BK	80
Halogen Oven	HO 1701 WH	82
Coffee Makers	ECP 105	84
	CM 1250 BK	85
	CM 1501 SS	85
	CM 1522 SS	85
Coffee Grinders	CG 1050 SS	86
	CG 2050 RD	86
	CG 3050 WH	87
	CG 3250 BK	87
	CG 4050 SS	88
	CG 4050 RD	88
	CG 4051 GY	88
Electric Kettles	WK 0616 S	90
	WK 0617 S	90
	WK 0618 BK	91
	WK 0818 GR	91
	WK 0818 BK	91
	WK 0620	92
	WK 8122 SS	93
	WK 8122 GD	93
	WK 2201 LL	94
	WK 2302 D	94
	WK 02 SS	95
	WK 02 GY	95
	WK 02 RD	95
	WK 06 RD	96
	WK 06 SS	96
	WK 0601 SS	97
	WK 0603 RD	97
	WK 0604 BK	98
	WK 0605 GY	98
	WK 08 PR	99
	WK 08 GY	99
	WK 08 BG	99
	WK 9805 GY	100
	WK 9806 RD	100
	WK 9903 SS	101
	WK 9904 BK	101

Glass Electric Kettles	WK 9012 BL	103
	WK 9012 RD	103
	WK 2102 BK	104
	WK 2105 BK	104
	WK 2101	105
	WK 2103	105
	WK 2106 LL	106
	WK 2108 BK	107
	WK 2107 BK	107
	WK 2109 BK	107
Electric Kettles	WK 0712 GR	108
	WK 0713 OR	108
	WK 0714 RD	108
	WK 0715 YL	108
	WK 0716 AZ	108
Electric Kettle for Travel	WK 0902 GR	110
	WK 0903 S	110
Hair Dryers	HD 9501 PK	112
	HD 8201 RD	112
	HD 8201 VT	112
	HD 8302 RD	112
	HD 8501 RD	113
	HD 8501 VT	113
	HD 8901 RD	113
	HD 8901 VT	113
Hot Air Brush	HS 9006 RD	114
Curling Irons	HC 6201 RD	115
	HC 6201 PK	115
	HC 6201 VT	115
	HC 6002 BK	116
	HC 6003 BK	116
	HC 1325 BK	116
Hair Straighteners	HC 5001 BK	117
	HS 5002 BK	117
Hair Stylers	HC 3001 BK	118
	HC 3001 WH	118
Hair Crimpers	HC 2001 BK	119
	HC 2001 RD	119
	HC 2002 RD	119

Men's Electric Shavers	BMS 2001 BK	121
	BM2 2002 GY	121
Hair Clippers	BHC 1001	122
	BHC 2001	122
	BHC 3001	123
Vacuum Cleaners	BVC 5002 RD	125
	BVC 5002 GY	125
	BVC 9000 RD	125
Steam Irons Pro-Ceramic Line	BSI 5502 BL	127
	BSI 5503 OR	127
	BSI 2010 PL	128
	BSI 2011 RD	128
	BSI 2012 OR	128
	BSI 2013 AZ	128
Washing Machines	WM 3001 WM	130
	WM 6002 WH	130
	WM 7001 WH	131
	WM 7502 WH	131
2in1 Mopset with Squeegee & Spray	CL 1001	132



BROCK
medical line

BLOOD PRESSURE
MONITORS

BLOOD PRESSURE MONITORS



LS 810 - S



TMB - 1873

Blood pressure monitor | Wrist type, digital BPM for easy measurement in domestic conditions | Large and bright LCD display for easy and convenient reading of results | Designed for adults' blood pressure and heart rate measurement |

Comfortable cuff - 13.5-21.5 cm | Up to 60 records in the device. Irregular heartbeat detection | Slim design | Shows the average of last 3 values | Date and time indication | Power source: Rechargeable lithium battery |

Comfortable arm circumference of 22-32 cm | Shows the average of last 3 values | Irregular heartbeat detection | Streamline compact design | Up to 250 records in the device | Date and time indication | Power source: 4 x AAA battery (included) |

BROCK[®]
Electronics

DIGITAL **LUGGAGE**
SCALE



DIGITAL **LUGGAGE** SCALE



TLS 5101 WH

Range/Accuracy: 50kg/10g | Units: kg, lbs, oz, g | Stainless Data lock | Low battery indication | Automatic power Off |
Overload indication | Power supply: 1 x CR2032 battery | Product size: 15.2 x 3 x 4 cm |



BROCK[®]
Electronics

DIGITAL **KITCHEN**
SCALES

DIGITAL KITCHEN SCALES



SKS 1008

High-precision sensor |
 Partition value: 1g | LCD Blue backlight |
 White digital display | Automatic zero point
 tracking | Auto Power Off |
 Overload indication |
 Unit-conversion switch (g/kg/lb:oz/ml/floz) |

SKS 1009

Readability: 0.1oz/1g | Backlit display |
 Auto Power Off | Overload & Low battery
 alert | One-touch tare |
 Power: 3xAAA batteries (included) |
 Capacity: 11lb/5kg |
 Weighting Units: g/oz/fl:oz/lb:oz/ml |

SKS 1011

High-precision sensor | **Partition value: 1g** |
 LCD display with white numeric screen |
 Automatic zero point tracking |
 Auto Power Off | Overload indication |
 Unit-conversion switch
 (g/kg/lb/oz/ml/milk ml) |



BROCK[®]
Electronics

INFRARED OVENS
DIGITAL OVENS
ELECTRIC OVENS

INFRARED OVENS



TO 3501 BK1

Volume : 35L | Oven Power: 1500W | Big hob Power: 1500W | Small hob Power:1200W | 90-230°C temperature selector | Oven can work at the same time with the big hob | 9 types of function selector | 120 minutes timer |



TO 5002 BK1

Volume: 50L | Oven Power: 1800W | Big hob Power:1500W | Small hob Power:1200W | 90-230°C temperature selector | Oven can work at the same time with the big hob | 9 types of function selector | 120 minutes timer |

DIGITAL OVEN



TO 3301 DB

Volume: 33L | Power: 1500W | Touch sensor control | 4 Stainless steel heating elements | With double glass door | Internal lighting | Possibility to set different temperature at the same time to the upper and lower heating elements, also during cooking | With 8 types of menu selection: Chicken \ Steak \ Cookie \ Bread \ Pizza \ Keep Warm \ Unfreeze \ DIY | With Rotisserie and Convection | Reminder end signal | Accessories: Enamel bake tray, Wire rack, Tray handle, Crumb tray, Rotisserie |

ELECTRIC OVENS



TO 4501 B

Volume: 45L | Power: 1500W; 220-240V, 50/60Hz |
Stainless steel heating element | 60 min timer with alarm |
Thermostat 100-230°C | Large interior lighting |
Double glass |

Heating functions: Off / Heating from top / Heating from bottom / heating from top and bottom | Convection function |
Stainless steel handle | **Accessories: Baking tray, Wire rack, Tray handle |**



TO 4502 BK

Volume: 45L | Power: 3300W | 4 Stainless steel heating
elements | 60 min timer | Internal lighting |
Thermostat: 90-230°C |

ELECTRIC OVEN

PROFESSIONAL LINE



TO 3001 SS

Volume: 33L | Power: 1500W; 220-240V, 50/60Hz | Stainless steel design | Stainless steel heating element | 60 min timer with alarm | Thermostat 100-230°C | Heating functions: Off / Heating from top / Heating from bottom / heating from top and bottom | The large interior lighting | Double glass | Convection function | Rotisserie | Stainless steel handle |
Accessories: Baking tray, Wire rack, Tray handle |

ELECTRIC OVENS



TO 3001 B



TO 3001 P



TO 3001 WH

Volume: 30L | Power: 1500W; 220V-240V, 50/60Hz | Stainless steel heating element | 60 min timer with alarm | Thermostat 100-230°C | Heating functions: Off / Heating from top / Heating from bottom / heating from top and bottom | The large interior lighting | Double glass | Convection function | Stainless steel handle | **Accessories: Baking tray, Wire rack, Tray handle** |

ELECTRIC OVENS WITH HOT PLATES



TO 3002 B



TO 3002 P

Volume: 30L | Power: 1500W; 220-240V, 50/60Hz | Hotplates:1000W+600W | Stainless steel heating element | 60 min timer with alarm | Thermostat 100-230°C | Heating functions: Off / Heating from top / Heating from bottom / Heating from top and bottom | The large interior lighting | Double glass | Convection function | Stainless steel handle |
Accessories: Baking tray, Wire rack, Tray handle |

ELECTRIC OVENS



TO 1801 B

Volume: 18L | Power: 1200W; 220-240V, 50/60Hz |
Internal lighting |

Stainless steel heating element | 60 min timer with alarm | Thermostat 100-230°C | Heating functions: Off / Heating from top / Heating from bottom / Heating from top and bottom | Large interior lighting | Double glass | Stainless steel handle |

Accessories: Baking tray, Tray handle |



TO 2601 B

Volume: 26L | Power: 1500W; 220-240V, 50/60Hz |
Large interior lighting | Double glass | Convection function |

ELECTRIC OVENS



TO 6001 B

Volume: 60L | Power: 1500W; 220-240V, 50/60Hz | Stainless steel heating element | 60 min timer with alarm | Thermostat 100-230°C. Heating functions: Off / Heating from top / Heating from bottom / Heating from top and bottom | The large interior lighting | Double glass | Convection function | Stainless steel handle | **Accessories: Baking tray, Wire rack, Tray handle** |



TO 9001 B

Volume: 9L | Power: 650W; 220-240V, 50/60Hz | 60 min timer with alarm | Double glass |



BROCK[®]
Electronics

MICROWAVE OVENS

MICROWAVE OVENS

DIGITAL



MWO 2311 DS



MWO 2322 DS

Volume: 23L | Power: 700W | Turntable: 245mm | 6 Power levels | Defrost function | "C.R.S" system (doble emission of waves) | 30 min timer | Reminder End Signal | Size: 262 x 452 x 345mm | Weight: 10.5kg |

MICROWAVE OVENS



MWO 2001 WH



MWO 2001 SS

Volume: 20L | Power: 700W | Turntable: 245mm | 6 Power levels | Defrost function |
"C.R.S" system (doble emission of waves) | 30 min timer | Reminder End Signal | Size: 262 x 452 x 345mm | Weight: 10.5kg |

MICROWAVE OVENS



MWO 2001 BK



MWO 2012 SS

Volume: 20L | Power: 700W | Turntable: 245mm | 6 Power levels | Defrost function | 30 min timer | Reminder End Signal |
Size: 262 x 452 x 345mm | Weight: 10.5kg |



BROCK[®]
Electronics

MEAT GRINDERS
WITH ACCESSORIES

MEAT GRINDERS

WITH ACCESSORIES



MG 1502 RD



MG 1503 BK

Maximum Power: 1500W; 220~240V/50Hz | VDE plug | Black power cord | Total length 120cm | Stainless steel blade | 3 pcs metal cutting plates (hole size: 3mm, 5mm, 7mm). | **Accessories: 1 PP pusher, 1 sausage adapter, 1 kubbe attachment** |

MEAT GRINDERS WITH ACCESSORIES



MG 1601 RD



MG 1601 SS

Maximum Power: 1600W | Stainless steel housing | Stainless steel blade | Reverse function | Low noise: 50/60 Hz | Capacity: 1 kg/min | Cutter + vegetable cutter attachment with 3 cutters | Exchangeable 3 metal cutting plates: 3mm, 5mm, 7mm | Detachable aluminum die-cast parts for easy cleaning | Voltage: 220 ~ 240V | Accesories: Sausage accessory, Kibbe accessory, Food pusher |

MEAT GRINDER

WITH ACCESSORIES



MG 1800 SS

Volume: 1,5 kg/min | Power: 1800 W | Stainless steel blade | Stainless steel square tray | Exchangeable 3 stainless steel cutting plates: 3mm, 5mm, 7mm | Stainless steel cutter and vegetable cutter attachment with 3 cutters | Reverse function | Anti-Slip feet | Low noise: 90dB | Accessories: Sausage accessory, Kibbe accessory, Food pusher |

BROCK[®]
Electronics

MULTICOOKERS



HIGH GRADE MULTICOOKER WITH ACCESSORIES



MC 6601 SS

Volume: 5L | Power: 860W | 66 Micro-Controlled programs | IMD touch panel and big LED display for easy using | 24 hour timer | Overheat protection | Movable steam valve and lid for easy cleaning | Healthy and handy double sided inner pot with handles | DIY function | Temperature and cooking time can be adjusted to your liking | Automatic locking / Child safety function | Smart heat sensor | Accessories: Steamer, Ladle, Spoon, Measuring cup |



MULTICOOKERS WITH ACCESSORIES



MC 5104 W



MC 5104 B

Volume: 5L | Power: 860W; 220-240V, 50/60Hz | Red LED display with 51 functions | 1.2m power cord, VDE plug | 1.32mm thickness double side Non-Stick coating inner pot | Heat maintenance and delayed start function up to 24 hours | White plastic + black panel sticker | 5 layers gift box with handle | Overheat protection | Accessories: Spoon, Ladle, Measure cup, PP steamer, Recipe book |

MULTICOOKERS

WITH ACCESSORIES



MC 1003



MC 1005

Volume: 3L | Power: 700W; 220-240V, 50/60Hz | Volume: 5L | Power: 700W; 220-240V, 50/60Hz |

1.0m power cord | VDE plug | 0.9mm thickness single side Non-Stick coating inner pot | SS housing + Black plastic | 10 Automatic functions, press buttons panel | Automatic warm up functions and possibility to put 24 hours food's warming | Red LED display | **Accessories: Spoon, Ladle, Measure cup, PP steamer, Recipe book |**

MULTI COOKERS

PREMIUM



MC 3601



MC 3602 RD

Volume: 5L | Power: 700W | With 36 cooking functions | Stainless steel housing | Inner pot with ceramic housing | Large LED display | Touch sensor control | Flexible timer | Automatic warm up functions and possibility to put 24 hours food's warming | Delayed start function up to 24 hours | Overheat protection | Removable steam valve | Accessories: Spoon, Ladle, Measure cup, PP steamer, Recipe book |

MULTI COOKER

PREMIUM



MC 4501

Volume: 5L | Power: 700W | With 45 cooking functions | Stainless steel housing | Inner pot with ceramic housing | Large LED display | Touch sensor control | Flexible timer | Automatic warm up functions and possibility to put 24 hours food's warming | Delayed start function up to 24 hours | Overheat protection | Removable steam valve |
Accessories: spoon, ladle, Measure cup, PP steamer, Recipe book |

INNERPOTS FOR MULTICOOKERS



IP 1003 NSC

Capacity: 3L | For MC 1003 Multicookers | 0,9mm thickness | Single sided Non-Stick coating |



IP 3601 / 1005

Capacity: 5L | For MC 1005 Multicookers | 1mm thickness | Single sided Non-Stick coating |



IP 5104 CC

Capacity: 5L | For MC 5104 B and MC 5104 W Multicookers | 1.4mm thickness | Ceramic coating inside | With handles |



BROCK[®]
Electronics

INFRARED COOKING PLATES
INDUCTION COOKERS
ELECTRIC HOT PLATES

INFRARED COOKING PLATES



HPI 1001 GY

Power: 1800W | Single-zone | Suitable for cookware with a diameter up to 20cm | Touch sensor control | Extra durable & Easy to clean ceramic crystal glass surface | Temperature setting range: 50 - 500°C | Large LED display | Hot surface warning | Flexible timer |



HPI 3001 BK

Power: 1200W | Single-zone | Glass plate diameter 17,7cm | On/Off indicator light | Adjustable temperature control | Auto-thermostat |



HPI 3002 BK

Power: 1200 + 800W | Two glass hot plates: 18,7cm and 16,4cm | Two operating On / Off indicator lights | Adjustable temperature control | Auto-thermostat |

INDUCTION COOKER



HP 2007



HP 2009



HP 2012

Power: 200-2000W | 8 levels of cooking power | 8 levels of cooking temperature - 80 - 270°C | Cooking surface: ceramic, 250*250mm | Suitable cooking area: pot base diameter 12-20cm | Display shows cooking temperature, power, timer | 5 special designed cooking function: Fry / Boil / Water / Stew / Heat-Up | Button controlled panel with digital display |

INDUCTION COOKER



HP 4013

Power: 2000W + 2000W | Suitable cooking area: pot base diameter 12-20cm | 2 cooking surfaces: ceramic, 2x 26x26cm | 8 levels of cooking power - 200 - 2000W | Display shows cooking temperature, power, timer | 5 special designed cooking function: Fry / Boil / Water / Stew / Heat-Up | Button controlled panel |



HP 4003 GY

Power: 1800W | Suitable Cookware Diameter 12-26 cm |

Suitable Cookware Diameter 12-26 cm | Time regulation: 1 – 180 minutes | Temperature regulation: up to 240°C max | 7-Level Safety System | Touch and Knob Control Panel | With an easy-care A grade crystal glass | Overheating and surge protection |



HP 5004 GY

Power: 1300+1800W | Two Independent Cooking Zones |

INDUCTION COOKERS



HP 2021 GY

Power: 1800W | Single-zone induction cooktop | Suitable for cookware with a diameter **up to 26 cm** |



HP 2001 GY

Power: 1800W | Single-zone induction cooktop | Suitable for cookware with a diameter **up to 17 cm** |



HP 2002 GY

Power: 1300+1800W | 2 independent cooking zones | Suitable for cookware with a diameter **up to 17 cm** |

Saves time (60%) and electricity (50%) | Minimal heat loss (90% efficiency) | Touch sensor control | Extra durable & Easy to clean ceramic crystal glass surface | Temperature setting range: 60 - 240°C | 10 Power Level Settings (200-1800W) | Large LED display | Automatic error detection system | Anti-Slip feet |

INDUCTION COOKERS



HP 3021 SS

Power: 1800W | Single-zone induction cooktop | Suitable for cookware with a diameter **up to 26 cm** |



HP 3001 SS

Power: 1800W | Single-zone induction cooktop | Suitable for cookware with a diameter **up to 17 cm** |



HP 3002 SS

Power: 1300+1800W | 2 independent cooking zones | Suitable for cookware with a diameter **up to 17 cm** |

Saves time (60%) and electricity (50%) | Minimal heat loss (90% efficiency) | Touch sensor control | Extra durable & Easy to clean ceramic crystal glass surface | Temperature setting range: 60 - 240°C | 10 Power Level Settings (200-1800W) | Large LED display | Automatic error detection system | Anti-Slip feet |

ELECTRIC HOTPLATES



EP 1500 BK



Power: 1500 W; 100-240V 50/60Hz | 140mm diameter | Thermostatic protection against overheating | The indicator light (On/Off) | Heat-resistant surface materials |

ELECTRIC HOTPLATES



EP 1500 WH

Power: 1500 W; 220-240 V, 50/60 Hz | Hotplate with a diameter of 18.5 cm | Ideal for college dorms, cottages or camping | Indicator light | Protection against overheating | Anti-Slip feet |



EP 2000 WH

Power: 1000+1500W; 220-240 V, 50/60 Hz | 2 hotplates with a diameter of 18.5 and 15.5 cm | Indicator light | Protection against overheating | Anti-Slip feet | Distance between hotplate: 4.9 cm |

ELECTRIC HOTPLATES



EP 1500 BK

Power: 1500 W; 220-240 V, 50/60 Hz | Hotplate with a diameter of 18.5 cm | Ideal for college dorms, cottages or camping | Indicator light | Protection against overheating | Anti-Slip feet |



EP 2000 BK

Power: 1000+1500W; 220-240 V, 50/60 Hz | 2 hotplates with a diameter of 18.5 and 15.5 cm | Indicator light | Protection against overheating | Anti-Slip feet | Distance between hotplate: 4.9 cm |

ELECTRIC HOTPLATES



EP 100 WH

Power input 1000W; 220-240V, 50/60Hz | Hotplate with a diameter of 15.5cm | Ideal for college dorms, cottages or camping | Continuously controlled thermostat | Indicator light | Protection against overheating | Anti-Slip feet | Size: 22,4x 22,4cm |



EP 200 WH

Power: 1000+1500W; 220-240V, 50/60Hz | 2 hotplates with a diameter of 18.5 and 15.5cm | Continuously controlled thermostat | Indicator light. Protection against overheating | Anti-slip feet | Size: 46.4x24.4 cm | Distance between hotplate: 4.9cm |

ELECTRIC HOTPLATES



EP 100 BK

Power input 1000W; 220-240V, 50/60Hz | Hotplate with a diameter of 15.5cm | Ideal for college dorms, cottages or camping | Continuously controlled thermostat | Indicator light | Protection against overheating | Anti-Slip feet | Size: 22,4x 22,4cm |



EP 200 BK

Power: 1000+1500W; 220-240V, 50/60Hz | 2 hotplates with a diameter of 18.5 and 15.5cm | Continuously controlled thermostat | Indicator light. Protection against overheating | Anti-slip feet | Size: 46.4x24.4 cm | Distance between hotplate: 4.9cm |



BROCK[®]
Electronics

GASCOOKER
GASSTOVES

TOURIST GAS COOKER



PSG 001 BK



Designed for outdoor use only | Enamel surface | Lightweight | Large stable base | Flame adjustment possible |
Powered by a Gas Cartridge or Gas Cylinder | Durable enamelled steel housing withstands outdoor use |
Dimensions - 34cm x 27cm x 10cm.

CAUTION! Intended to be used only outdoors!

GASSTOVES



GS 001 W



GS 002 W

Designed for outdoor use only | Comfortable stove for picnics in nature | Works with G30 butane (28-30 mbar) and G31 propane (37mbar) gas | LPG gas consumption | Qualitative cast iron burners | Durable iron body | Location: table or similar, stable, horizontal surface |

CAUTION! Intended to be used only outdoors!

GASSTOVES



GS 003 W



GS 004 W



Designed for outdoor use only | Comfortable stove for picnics in nature | Works with G30 butane (28-30 mbar) and G31 propane (37mbar) gas | LPG gas consumption | Qualitative cast iron burners | Durable iron body | Location: table or similar, stable, horizontal surface |

CAUTION! Intended to be used only outdoors!

GASSTOVES



GS 2001 BK



GS 2002 BK

Designed for outdoor use only | Comfortable stove for picnics in nature | Works with G30 butane (28-30 mbar) and G31 propane (37mbar) gas | LPG gas consumption | Qualitative cast iron burners | Durable iron body | Location: table or similar, stable, horizontal surface |

CAUTION! Intended to be used only outdoors!

GASSTOVES



GS 2003 BK



GS 2004 BK

Designed for outdoor use only | Comfortable stove for picnics in nature | Works with G30 butane (28-30 mbar) and G31 propane (37mbar) gas | LPG gas consumption | Qualitative cast iron burners | Durable iron body | Location: table or similar, stable, horizontal surface |

CAUTION! Intended to be used only outdoors!



BROCK[®]
Electronics

HANDMIXER

HANDBLENDER

HANDBLENDER SET

BLENDERS



BL 1501 WH



BL 1502 SS



1,5 Liter Glass Jar | **Power: 500W** | 2 Speed Control | PULSE function | Ice Crush Function | 6-piece Stainless Steel Blades | Pilot light when operating | Ingredients While Blending | Plastic Base | Non-Slip Feet |

HAND MIXERS



HM 4002 WH

Power: 300 W; 220-240V~ 50-60Hz | More through mixing and heavy duty mixing performance | 5 distinctive speed setting with Turbo | Stainless steel beaters & hooks |



HB 5003 WH

Power: 300 W; 220-240V~ 50-60Hz | More through mixing and heavy duty mixing performance | 5 distinctive speed setting with Turbo | Stainless steel beaters & hooks |

HAND MIXER

& HAND MIXER WITH BOWL



HM 3001 WH

Power: 300W | 5 speeds | TURBO function
| Eject button for releasing attachments | With stainless steel beaters and hooks |



HMB 3009 WH

Power: 300 W; 220-240V~50Hz | More through mixing and heavy duty mixing performance | 5 distinctive speed setting with Turbo | 2.0L plastic bowl | Stainless steel beaters & hooks |

BLENDERS & BLENDER SETS



HB 8001 WH

Power: 1000 W; 220-240V~ 50-60Hz | DC motor |
Stepless speed control | Detachable rod |
Stainless steel blade |



HB 5001 WH

Power: 300W | 2 speeds switch |
Detachable stainless steel mixing rod |
Stainless steel blade |

BLENDERS SETS



HBS 9002 WH

Power: 1000W 220-240V~ 50-60Hz | **DC motor** |
2 speed control with variable speed |
Detachable rod | Stainless steel blade |
Accessories: 500ml chopper bowl | **650ml Cup** |
Egg whisk |



HBS 6001 WH

Power: 300W | **Hand Blender Set** |
2 speeds switch | Detachable stainless steel mixing rod |
Stainless steel whisk | Stainless steel blade |
Accessories: 700ml blending cup | **500ml chopper** |



BROCK[®]
Electronics

VERTICAL **MULTI GRILL**

VERTICAL DONNER KEBAB
MULTI GRILL

VERTICAL MULTI GRILL



EBG 900

Power: 900W | Processed from heat-resistant aluminium | 5 barbecue skewers | Double central stainless steel "U" heating element | Bakelite handle | For grilling meat products, shish kebabs, sausages, poultry and other dishes |

VERTICAL DONNER KEBAB MULTI GRILL



EBG 1400

Power: 1400W | Even 360°C heat distribution | On/Off switch with LED light | 6 skewers + 1 skewer | Processed from heat-resistant metal | Removable metal container - collects oil and grease residue | For grilling meat products, shish kebabs, sausages, poultry and other dishes |



BROCK[®]
Electronics

ELECTRIC
TOASTERS

ELECTRIC TOASTERS



BT 1006 WH



BT 1007 BK



Power: 650-700 W; 220-240V; 50/60Hz | 2-slice, Pop-up | Variable electronic timing control | Anti-jammed protection | Auto shut Off | Mid cycle cancel function | Slide out crumb tray |

ELECTRIC TOASTERS



BT 1008 WH



BT 1009 BK

Power: 650-700 W; 220-240V; 50/60Hz | 2-slice, Pop-up | Variable electronic timing control | Anti-jammed protection | Auto shut Off | Mid cycle cancel function | Slide out crumb tray |

ELECTRIC TOASTERS



BT 1002 WH



BT 1005 BK

Power: 800W | 2 slots | 6 adjustable browning settings | On/Off switch | Defrost, Cancel, Reheat and Auto centering function | Auto Pop-Up function | Removable crumb tray | Size (length x width x height): 29.1x18.1x19 cm |

ELECTRIC TOASTERS



BT 1002 RD



BT 1003 SS

Power: 800W | Stainless steel housing | 2 slots | 6 adjustable browning settings | On / Off switch | Defrost, Cancel, Reheat and Auto centering function | Auto Pop-Up function | Removable crumb tray | Size (length x width x height): 28.1x15.6x18.8 |



BROCK[®]
Electronics

GRILLS
SANDWICHMAKERS
WAFFLEMAKERS
NUTLETSMOLD MAKERS

ELECTRIC GRILL



HCG 5000 SS

Power: 1500W | Cool touch handle | Drip tray for collecting excess oil | Adjustable temperature control knob | Height control knob for cooking various food easily | Non-Stick coating | Can open to 180° and use as an open grill | Power indicator light: Red, Readiness indicator light – Green | Skid resistant feet | Stand upright for compact storage |

XL SANDWICHMAKER



SSM 4001 XL

Power: 750W | Plate size - 28x14.5cm | Fixed cooking plate with Non-Stick coating | Thermostatically controlled | Power indicator - Red indicator light | Ready to bake indicator - Green indicator light | Cool touch housing | Skid-resistant feet |

SANDWICHMAKERS



SSM 2001 SS



SSM 2001 RD



SSM 1001 WH

Power: 750W; 220-240V, 50/60Hz | Stainless steel design | Prepare 4 Triangle sandwiches | Automatic temperature control | Easy to clean baking surfaces | Non-Stick surface treatment of baking surfaces | Heat insulated handle and body | Power indicator - Red indicator light | Ready to bake indicator - Green indicator light | Option to store in a vertical position | Anti-Slip feet | Safety thermal fuse | Length of the power cord 75cm |



STEAK GRILL PAN

SANDWICHMAKERS



SGM 2002 RD



SPM 3006 S



SSM 2001 GY

Power: 750W | Grill | Stainless steel sheet |

Power: 750W | Prepares 2 Square-shaped sandwiches |

Power: 750W | Prepare 4 Triangle sandwiches | Stainless steel sheet |

Automatic temperature control | Non-Stick surface treatment of baking surfaces | Power indicator - Red indicator light, ready to bake indicator - Green indicator light | Heat insulated handle and body | Anti-Slip feet |

SANDWICHMAKERS



SSM 3001



SSM 3002



SSM 3008 WH

Power: 750W; 220-240V, 50/60Hz | Prepare 4 Triangle sandwiches |
Removable plates from stainless steel | Power indicator - Red indicator
light | Ready to bake indicator - Green indicator light |

Power: 1400W | Prepare 8 Triangle sandwiches |
Stainless steel sheet |

Automatic temperature control | Non-Stick surface treatment of baking surfaces | Heat insulated handle and body | Anti-Slip feet |

3IN1 SANDWICH & WAFFLE MAKER & GRILL



SSM 2003 RD



SSM 3003



SSM 2004 SS

Power: 750W; 240V, 50/60Hz | Stainless steel design | Prepare 4 triangle sandwiches | Easy to clean baking surfaces | Option to store in a vertical position | Safety thermal fuse | Length of the power cord 75cm |

Power: 750W; 240V, 50/60Hz | Removable plates from stainless steel |

Power: 750W | Plate size: 23,5x13cm | Detachable plate |

Automatic temperature control | Non-Stick surface treatment of baking surfaces | Heat insulated handle and body | Anti-Slip feet |

4IN1 SANDWICH & WAFFLE MAKER & GRILL



SSM 6004 RD

Power: 750W | **Detachable stainless steel plates** | Non-stick surface treatment of baking surfaces | Automatic temperature control | Power indicator - red indicator light, ready to bake indicator - green indicator light | Heat insulated handle and body | Anti-slip feet |

WAFFLEMAKERS



WM 3002 BK



WM 3001



Power: 750W | Plate size: Ø19.2cm |

**Power: 750W | Plate size Ø19,2cm | Cool touch housing |
Accessories: Cone shaping tool |**

Power indicator - Red indicator light, ready to bake indicator - Green indicator light | Non-Stick surface treatment of baking surfaces | Heat insulated handle and body | Anti-Slip feet |

NUTLETS MOLDMAKERS



HZ 3012

Power: 750W | For 12 Nutlets in one shot | Adjustable temperature control |

Cool touch housing | Non-Stick surface | Power and ready indicator lights | Anti-Slip feet |



HZ 3024

Power: 1400W | For 24 Nutlets in one shot |





BROCK[®]
Electronics

DEEP FRYERS

DEEP FRYERS



DF 3001 SS

Power: 2200W | Volume: 3,2L | Stainless steel housing |
Optional timer function for 30min | Detachable SS inner pot |
Double sensor for extra safety | Indicator light |
Lid with transparent window and smoke filter |
Thermostat control 130°C - 190°C |
Power cord length: 90cm |



DF 2501 RD

Power: 1600W | Volume: 2,5L | Optional timer function for 30min |
Red light for power indicator & Green light for heating indicator |
Thermostat control 130°C - 190°C | Removable Non-Stick inner pot
with heater clamped underneath for fast heating | Foldable basket
handle | Pop-up lid, removable & dishwasher safe |
Lid with filter & window | Power cord length: 90cm |

A woman with dark hair is sitting in a meditative pose on a large rock in a lush garden. She is wearing a white cardigan over a dark top and a long necklace. Her hands are resting on her knees in a mudra. The scene is bathed in warm, golden sunlight, creating a peaceful atmosphere. A semi-transparent orange rectangular overlay covers the center of the image, containing the company logo and product information.

BROCK[®]
Electronics

AIRFRYERS
DIGITAL **AIR**FRYERS

AIR FRYER



AFM 4203 BK

4.2 L | Power: 1500 W; 110-240V~50/60hz |
Adjustable thermostat temperature setting |
With over heating protection function |
Auto shut Off | Non-stick frying basket & tray |
Rapid air circulation system |



AFM 3501 BK

Volume: 3.5L | Power: 1300-1500W | Adjustable thermostat: 80-200°C |
Pre-set programmes for easy use | Emits less odours and no more burnt oil |
Quick, healthy and economical food preparation with no or little amount of oil |
30 minute timer with auto-shut off function |
Protection against over-heating | Power cord length: 1m |
220-240V~, 50/60H |

DIGITAL AIR FRYER



AFD 3502 BK


Volume: 3.5L | Power: 1300-1500W | Digital display for easy use | Thermostat: 80-200°C | Emits less odours and no more burnt oil | Quick, healthy and economical food preparation with no or little amount of oil | 60 minute timer and 6 pre-set programmes | Non-stick coating for the inner basket makes cleaning easy | Overheating protection | 220-240V~, 50/60Hz |



BROCK[®]
Electronics

HALOGENOVEN

HALOGENOVEN



HO 1701 WH

Power: 1200-1400W | Capacity: 12-17L | Heats up and cooks quickly | Cooking time is 3 to 5 times faster than in traditional ovens | Cooking without fats and oil, reduces cholesterol intake | High temperature resistant glass pot | Low usage of electricity | Thoroughly thaws out frozen food | Easy operation with timer and temperature control | Cooks food evenly | Voltage: 220-240V~, 50/60Hz |



BROCK[®]
Electronics

TURKISH
COFFEEMAKERS
COFFEEMAKERS
COFFEEGRINDERS

TURKISH COFFEE MAKER

MOKA MAKER, ESPRESSO MAKER, KETTLE



ECP 105



0.5 L | Power: 500W | Kettle with 360° base | Hidden heating element | Non-slip grip | On / Off switch with indicator light | Suitable for home, office or travel | Stainless steel body |

COFFEE MAKERS



CM 1250 BK

Power: 915-1080W | Volume: 1,5L |



CM 1501 SS

Power: 730-870W | Volume: 1,25L |



CM 1522 SS

Power: 915-1080W | Volume: 1,5L |
Stainless steel holder and base |

Water level mark | Non-Drip valve | Removable filter | Hot plate with automatic switch-Off | On / Off switch |

COFFEE GRINDERS



CG 1050 SS



CG 2050 RD



Power: 150W | Capacity 50g | Stainless steel housing | Stainless steel blade | Safety lock system | Switch with light | Large safety button ensuring easy operation | Safety catch that prevents the coffee grinder from starting if it is not properly closed | Anti-Slip feet for easy and stable grinding | Power cord storage in the base | Noise level max. 83dB | Length of power cord: 50 cm | Dimensions (width x depth x height): 104 x 104 x 182mm | Weight: 760g |

COFFEE GRINDERS



CG 3050 WH



CG 3250 BK

Power: 150W | Capacity: 50g | Safety lock system | Stainless steel blade |

COFFEE GRINDERS



CG 4050 SS



CG 4050 RD



CG 4051 GY



Power: 150W | Capacity 50g | Stainless steel housing | Stainless steel blade |



BROCK[®]
Electronics

ELECTRICKETTLES

ELECTRICKETTLES



WK 0616 S



WK 0617 S



Volume: 1,8L | Power: 1500W | Stainless steel body | Kettle with 360° base | Hidden heating element | Safety locking lid | Boil-dry protection | Automatic and manual switching On/Off | LED operating light |

ELECTRIC KETTLES



WK 0618 BK

Volume: 1,8L | Power: 1500W | Stainless steel body | Kettle with 360° base | Hidden heating element | Safety locking lid | Boil-dry protection | Automatic and manual switching On / Off | LED operating light |



WK 0818 GR

Volume: 1,8 L | Power: 1500W | Double wall Body | Concealed heating element | Auto Shut-Off | Light indicator | Outside with plastic wall, inside with stainless steel body | Hinged lid |



WK 0818 BK

ELECTRIC KETTLES



WK 0620

Volume: 2,2 L | Power: 1500W | Kettle with 360° base | Hidden heating element | Safety locking lid | Automatic and manual switching On / Off | Boil-dry protection | LED operating light | Stainless steel body |

ELECTRIC KETTLES



WK 8122 SS



WK 8122 GD



Volume: 1,8 L | Power: 1500W | Double wall Body | Concealed heating element | Auto Shut-Off | Light indicator | Hinged lid | Outside with plastic wall, inside with stainless steel body |

LED ELECTRIC KETTLE



WK 2201 LL



WK 2302 D

Glass Kettle | Volume: 1,7L | Double-sided water level mark | **Volume: 1,7L** | One-sided water level mark |

Power: 1850-2200W | 3 operating modes: Heat water to 100°C, heat water to a selected temperature (60-70-80-90°C), Keep warm | Internal LED light with a variable colour backlight indicating: 60°C - Green, 70°C - Blue, 80°C - Yellow, 90°C - Purple, 100°C - Red | Function of dechlorination, keep boiling for 3mins to purify the water for your health | Stainless steel heating base with a covered heating spiral | Easy-open lid by pressing the button on the top part of the handle | Triple safety system: Protection against overheating when turned on without water, Automatic Shut-Off when removed from the base, Automatic Shut-Off when boiling point is reached | Central 360° connector | Power cord storage in the base |

ELECTRIC KETTLES



WK 02 SS



WK 02 GY



WK 02 RD

Volume: 1,7L | Power: 1800W; 220-240V, 50/60Hz | **Stainless steel body** | Unique cover design, easy operation | Removable and washable filter for removing deposits and impurities | Illuminated water level indicator | Triple safety system: Protection against overheating when turned on without water, Automatic Shut-Off when removed from the base, Automatic Shut-Off when boiling point is reached | Central 360° connector | Power cord storage in the base |

ELECTRICKETTLES



WK 06 RD



WK 06 SS



Volume: 1,7L | Power: 1850-2200W | On /Off switch and bright LED light | **Stainless steel body** | Unique cover design, easy operation | Removable and washable filter for removing deposits and impurities | Illuminated water level indicator | Triple safety system: Protection against overheating when turned on without water, Automatic Shut-Off when removed from the base, Automatic Shut-Off when boiling point is reached | Central 360° connector | Power cord storage in the base |

ELECTRIC KETTLES



WK 0601 SS



WK 0603 RD

Volume: 1,8L | Power: 1500W | Stainless steel body | Water level mark. Red indicator light | Triple safety system: Protection against overheating when turned on without water, Automatic Shut-Off when removed from the base, Automatic Shut-Off when boiling point is reached | Sunlight controller | Length of the power cord: 0,75m |

ELECTRIC KETTLES



WK 0604 BK



WK 0605 GY

Volume: 1,8L | Power: 1500W | Stainless steel body | Water level mark. Red indicator light | Triple safety system: Protection against overheating when turned on without water, Automatic shut-off when removed from the base, Automatic Shut-Off when boiling point is reached | Sunlight controller | Length of the power cord: 0,75m |

ELECTRIC KETTLES



WK 08 PR



WK 08 GY



WK 08 BG

Volume: 1,7L | Power: 1850-2200W | On / Off switch | Water level mark | Triple safety system: Protection against overheating when turned on without water, Automatic Shut-Off when removed from the base, Automatic shut-off when boiling point is reached | Central 360° connector | Power cord storage in the base |

ELECTRICKETTLES



WK 9805

Volume: 1,7L | Power: 1850-2200W |



WK 9806

Volume: 1,7L | Power: 1850-2200W |



High quality stainless steel body | Boil dry protection | Automatically turns off when water boils | Streamline, modern design | Built in analog thermometer which shows the precise temperature while boiling | 220-240V~50-60Hz |

ELECTRIC KETTLES



WK 9903

Volume: 1,7L | Power: 1850-2200W |



WK 9904

Volume: 1,7L | Power: 1850-2200W |

Boil dry protection | Automatically turns off when water boils | Automatic one button cover starter for easy operation |
Streamline, modern kettle with a unique design | 220-240V~50-60Hz |

A woman with long brown hair is holding a white mug to her lips, looking down. The scene is set in a kitchen with a window in the background. A glass electric kettle is visible on the counter to the right. A semi-transparent pink overlay covers the center of the image, containing the brand name and product category.

BROCK[®]
Electronics

GLASS
ELECTRICKETTLES

ELECTRIC KETTLES



WK 9012 BL



WK 9012 RD

Volume: 1,2L | Power: 1500W | High Tempered Glass Body | Stainless steel heating element | Auto Shut-Off | Overheat dual protection | With Blue LED light | Hinged lid | With inner stainless steel cover |

GLASS ELECTRIC KETTLES



WK 2102 BK



WK 2105 BK



Volume: 1,7L | Power: 1850-2200W | Internal LED light | Double-sided water level mark | Power cord storage in the base | On/Off switch on the handle | Easy-open lid by pressing the button on the top part of the handle | Stainless steel heating base with a covered heating spiral | Triple safety system: Protection against overheating when turned on without water, Automatic Shut-Off when removed from the base, Automatic Shut-Off when boiling point is reached | Removable and washable filter for removing deposits and impurities | Central 360° connector |

GLASS ELECTRIC KETTLES



WK 2101



WK 2103

Volume: 1,7L | Power: 1850-2200W | With high borosilicate glass body, durable and stain resistant | Internal LED light | Double-sided water level mark | Concealed stainless steel heating element | Easy-open lid by pressing the button on the top part of the handle | Triple safety system: Protection against overheating when turned on without water, Automatic Shut-Off when removed from the base, Automatic Shut-Off when boiling point is reached | Central 360° connector | Power cord storage in the base |

GLASS ELECTRIC KETTLES



WK 2106 LL



Volume: 1,8L | Power: 1850-2200W | With high borosilicate glass body, durable and stain resistant | Internal LED light with a variable color backlight indicating: 60°C - Green, 70°C - Blue, 80°C - Yellow, 90°C - Purple, 100°C - Red | Double-sided water level mark | Three operating modes: heat water to 100°C, Heat water to a selected temperature (60-70-80-90°C), Keep warm | Concealed stainless steel heating element | Easy-open lid by pressing the button on the top part of the handle | Triple safety system: Protection against overheating when turned on without water, Automatic Shut-Off when removed from the base, Automatic Shut-Off when boiling point is reached | Central 360° connector | Power cord storage in the base |

GLASS ELECTRIC KETTLES



WK 2108 BK

Volume: 1,0L | Power: 900-1100W |



WK 2107 BK

Volume: 1,7L | Power: 1850-2200W |



WK 2109 BK

Volume: 2,0L | Power: 1850-2200W |

With borosilicate glass body, durable and stain resistant | Internal LED light | Double-sided water level mark | Easy-open lid by pressing the button on the top part of the handle | Triple safety system: Protection against overheating when turned on without water, Automatic Shut-Off when removed from the base, Automatic Shut-Off when boiling point is reached | Central 360° connector | Power cord storage in the base |

ELECTRIC KETTLES

RAINBOW SELECTION



WK 0712 GR

WK 0713 OR

WK 0714 RD

WK 0715 YL

WK 0716 AZ

Volume: 1,0L | Power: 900-1100 W | Stainless steel heating base with a covered heating spiral | On / Off switch | Triple safety system: Protection against overheating when turned on without water, Automatic Shut-Off when removed from the base, Automatic Shut-Off when boiling point is reached | Central 360° connector | Power cord storage in the base |

A hand holding a pink travel kettle against a mountain background. The kettle is filled with a pink liquid. The background shows a lush green valley and a rocky mountain peak under a blue sky. A semi-transparent pink rectangle is overlaid on the image, containing the Brock Electronics logo and the text 'ELECTRICKETTLES FOR TRAVEL'.

BROCK[®]
Electronics

ELECTRICKETTLES
FOR TRAVEL

ELECTRIC KETTLES

FOR TRAVEL



WK 0902 GR

Volume: 0,6L | Power: 550-650 W | On / Off switch | Triple safety system: Protection against overheating when turned on without water, Automatic Shut-Off when removed from the base, Automatic Shut-Off when boiling point is reached | Power cord storage in the base | Includes 2 drinking cups and 2 spoons |



WK 0903 S

Volume: 0,8L | Power: 600 W | 2 cups | Hidden heating element | Rapid heating | Automatic and manual switching On / Off | Small and compact, ideal for travel or camping. Stainless steel body | Includes 2 drinking cups |

BROCK[®]
Electronics

**BEAUTY
HAIR CARE**

- HAIRDRYERS
- CURLING IRONS
- HAIR CRIMPERS
- HAIR STYLERS
- HAIR STRAIGHTENERS

HAIR DRYERS



HD 9501 PK



HD 8201 RD



HD 8201 VT



HD 8302 RD

Power: 1800W | 50% Quieter than leading hair dryers | 2 power levels | 2 speeds | With concentrator | Cool air function | Ionisation function | Vertically mounted fan design | Unique U-shaped air inlets | Hanging loop |

Power: 1800-2200W | 3 power levels | 2 speeds | Cool shot function | With concentrator | Ionisation function generates negative ions: Guarantees silkier and shinier hair without crinkling, Enables faster drying, Reduces static electricity, Prevents hair damage | Hanging loop |

HAIR DRYERS



HD 8501 RD



HD 8501 VT



HD 8901 RD



HD 8901 VT

Power: 1200-1600W | 2 power levels | 2 speeds |
Cold air button | Ionisation function generates negative ions:
Guarantees silkier and shinier hair without crinkling, Enables
faster drying, Reduces static electricity, Prevents hair damage |
Modern design | Folding handle | Hanging loop |

Power: 1000-1200W | 2 power levels | 2 speeds |
DC motor | With concentrator. Folding handle |
Overheat protection | Hanging loop |

HOT AIR BRUSH



HS 9006 RD



Power: 1000W | 2 heating settings | 2 speeds | Cool shot function | 6 styling attachments: Concentrator, Short brush, Curling brush, Thermal round brush, Curling tong, Curling brush with retractable bristles | 360° swivel power cord |

CURLING IRONS



HC 6201 RD



HC 6201 PK



HC 6201 VT

Power: 40W | Max temperature: 200°C | Two sizes in one styler | Unique twin pressure spiral system (19mm or 32mm) for perfect clamping and curling of hair | Ceramic coating | PTC heating element heats up quickly and maintains a constant temperature | 60 second heat up time | Cool tip | Ready indicator light | 360° swivel power cord |

CURLING IRONS



HC 6002 BK



HC 6003 BK



HC 1325 BK

Diameter of the iron: 19mm |

Diameter of the iron: 25mm |

Diameter of the iron: 13-25mm |

Power: 25W | Max temperature: 180°C | PTC heating element heats up quickly and maintains a constant temperature | LED indicator | Fast heating | 360° swivel power cord | Power cord length 1,8m | On / Off switch | Red indicator light | Thermally insulated end for safe handling and turning of hair strands |

HAIR STRAIGHTENERS



HC 5001 BK

Power: 60W | Ironing surface area: 25 x 110mm |
Adjustable temperature: 150-230°C |
LED current temperature display | Temperature lock |

Floating ironing surfaces | On / Off switch | 360° swivel power cord | Power cord length 1,8m | Hanging loop | Integrated lock for securing the iron in the locked position for easy storage |



HS 5002 BK

Power: 35W | Ironing surface area: 25 x 90mm | Max
temperature: 200°C | Automatic Switch-Off after 60 minutes |

HAIRSTYLERS



HC 3001 BK



HC 3001 WH

Power: 50W | 3 in 1: Hair straightener, Crimper and Curler | Fast and easy selection of the desired work surface with one switch | Diameter of the iron: 32mm | PTC heating element heats up quickly and maintains a constant temperature | Max temperature: 200°C | On / Off switch | Red indicator light | Thermally insulated end for safe handling and turning of hair strands | Ergonomic design | 360° swivel power cord | Power cord length 1,8m |

HAIR CRIMPERS



HC 2001 BK

HC 2001 RD

HC 2002 RD

Power: 35W | PTC heating element heats up quickly and maintains a constant temperature | On / Off switch | LED indicator | 360° swivel power cord | Hanging loop |

Power: 25W | **Mini Hair Crimper with ceramic coating plates 6.2 x 1.6cm** | PTC heating element heats up quickly and maintains a constant temperature | Lockable handle | On / Off switch | LED indicator | 360° swivel power cord | Hanging loop | Item size 20.6 x 2.6 x 2.5 cm |

BROCK[®]
Electronics

MEN'S ELECTRIC SHAVER
HAIR CLIPPERS

MEN'S ELECTRIC SHAVERS



BMS 2001 BK

Power source: Battery | **Pop-up beard Trimmer on the back** | Triple-heads, double floating system | Wet / Dry operation | Operating time: 80 minutes | **Accessories: Protection cap, Cleaning brush, Charging adaptor** |



BMS 2002 GY

Wet / dry operation | Easy and convenient in use | **Rechargeable battery: 600 mA** | Charging time: 90 minutes | Operating time: 60 minutes with a single charge | Cable length: 180cm | Power: 5V, 100-240V, 50-60Hz | **Accessories: Protect cap, Cleaning brush, Charger adaptor, Storage pouch** |

HAIRCLIPPERS



BHC 1001

Power source: Battery | Operating time: 45 minutes |
Stainless steel blade | 1 pcs comb attachment, cutting length: 3-15mm |
Special rotary button (24 steps to choose) for fine adjustment |
Accessories: Power adapter, Cleaning brush, Oil for the clipper unit |



BHC 2001

Power: 10W | Stainless steel blade: 4,55cm |
4 pcs comb attachments (3, 6, 9 and 12 mm) |
Accessories: Comb, scissors, Cleaning brush, Oil for the cutting unit | Length of the power cord: 2m |



HAIRCLIPPERS



BHC 3001

1.5 hours fast charging | 60 minutes working time with single charge | **Integrated lithium-ion battery 600mAh** | **LED display with indication of working and low battery indicator** | The adjustable cutting comb is applicable for hair cutting in different lengths | **2 cutting combs: 1-15.5mm and 16-30.5mm** | **IPX6 waterproof** | R-Shaped Round Head prevents damage of skin | **ABS stainless steel** | Power: 1A/3W, 100-240v 50/60Hz |

A woman with long blonde hair, wearing a white t-shirt and blue jeans with holes, is smiling while using a grey and black stick vacuum cleaner on a light-colored wooden floor. In the background, there is a white stool with a potted plant, a bed with blue bedding, and a tall wooden mirror leaning against a white brick wall. A semi-transparent teal overlay covers the right side of the image, containing the Brock Electronics logo and the text 'VACUUM CLEANERS'.

BROCK[®]
Electronics

**VACUUM
CLEANERS**

VACUUM CLEANERS



BVC 5002 RD



BVC 5002 GY



BVC 9000 RD

850W ECO Motor | 5 level filtration system | Chrome telescopic metal tube (440-700 mm) | Washable cloth dust bag | Volume of dust bag: 1.5L | Full dust bag indicator | Length of power cord: 5m (Action Radius 7.5m). 1.5M | Hose with air flow control on handle | Supplied accessories: Combination nozzle (Brush + Slot) | Auto cord rewind | Soft rubber on wheels | Low noise level: 79 dB(A) |

Power: 700W | **Bagless** | Low noise level : 79 dB(A) | 5 level filtration system | Washable inlet HEPA filter, Washable outlet HEPA filter | Suction power:>165W | Volume of dust bin: 2.5L | Length of power cord: 6m (Action Radius 8.5m) | 1.5M hose with air flow control on handle | Chrome telescopic metal tube (500-840mm) | Auto cord rewind | Soft rubber on wheels | Supplied accessories: combination nozzle (brush + slot) |



BROCK[®]
Electronics

STEAMIRONS

STEAM IRONS

PRO-CERAMIC LINE



BSI 5502 BL



BSI 5503 OR

Power: 2600W; 220-240V 50Hz | Ceramic Ironing surface | Drip-Stop function for preventing water drop stains on fabrics | Anti-Calc function | Easy to fill transparent water tank (Volume 380 ml) | Continuous temperature control | Vertical steaming option | Steam boost | Continuous output steam regulation | Sprinkling button | Thermostat | 360° swivel power cord end limits twisting and tangling |

STEAM IRONS

PRO-CERAMIC LINE



BSI 2010 PL

BSI 2011 RD



BSI 2012 OR



BSI 2013 AZ



Power: 2400W; 220-240V 50Hz | Ceramic Ironing surface | Drip-Stop function for preventing water drop stains on fabrics | Anti-Drip function | Anti-Calc function | Easy to fill transparent water tank (volume 380 ml) | Continuous temperature control | Self-cleaning system for removing mineral deposits | Vertical steaming option | Steam boost | Continuous output steam regulation | Sprinkling button | Thermostat | 360° swivel power cord end limits twisting and tangling |



BROCK[®]
Electronics

WASHINGMACHINES

WASHING MACHINES



WM 3001 WH

Power: 300W | Max Capacity: 3kg | Mechanical control | 10 minutes wash timer | Spin function | Plastic body | Ecological & Safe and economical | Quiet operation | Ideal for long trips, camping or use at home due to it's small and compact size |



WM 6002 WH

Power: 360W (wash) / 160W (spin) | Max Capacity: 6.8 kg (wash) / 5.0 kg (spin) | With separate spin tub | Mechanical control | 15 minutes wash timer | 5 minutes spin timer | Plastic body | Ecological & Safe and economical | Quiet operation | IPX4 |

WASHING MACHINES



WM 7001 WH

Power: 300W (wash) | Max Capacity: 6.8 kg |
Mechanical control 15 minutes wash timer | Plastic body |
Quiet operation | Ecological & Safe and economical | IPX4 |



WM 7502 WH

Power: 380W (wash) / 180W (spin) | Max Capacity: 7.8 kg (wash) / 6.0 kg (spin) |
Mechanical control | 15 minutes wash timer |
Spin function | Plastic body | Ecological & Safe and economical |
Quiet operation | IPX4 |



Carvell
for home

2 IN 1 MOP SET

2IN1 MOP SET

FLOORS &
WINDOWS

WITH SQUEEGE
& **SPRAY** CL 1001

3 YEAR
WARRANTY

Carvell
for home



CL 1001

**+1
EXTRA**

Flat mop with a spray tank and a replaceable double squeegee | Tank with 600ml cleaning agent capacity |

Flat mop on a swivel joint mount with dimensions 43x14.5cm made from washable microfiber with a velcro zip lock |

Replaceable double squeegee with dimensions 38.5x11.5cm, washable part from microfibres for a thorough clean with an additional squeegee for a perfect wipe | Two-part pole measuring 120cm | Free gift: Extra microfiber sleeve! |

3 Year Warranty |

BROCK[®]
E l e c t r o n i c s

Carvell
for home

La Cuisinette





BROCK[®]
Electronics

Brock Electronics GmbH
Prinz-Eugen-Straße 70,
1040, Wien, Austria
www.b2b-brockgroup.at
export07@brockgroup.at
export09@brockgroup.at
manuel.bader@brockgroup.at
juris.glumovs@brockgroup.at

